

# X-Y Plot of LM1\_O2,power,torque,BOOST-RPM

C:\...\600cc Injectors\600cc no 19.log - Session 2

RPM (RPM)	LM1_O2 (AFR)	power (hp)	torque (lbft)	BOOST (PSIg)	RPM (RPM)	LM1_O2 (AFR)	power (hp)	torque (lbft)	BOOST (PSIg)
2740	12.54	139	266.1	1.12	6330	11.41	500	415.0	13.63
2780	12.35	149	281.5	1.47	6390	11.45	503	413.8	13.84
2830	12.45	162	300.7	1.73	6440	11.60	505	412.1	14.10
2870	12.39	171	313.3	1.99	6490	11.52	506	409.7	14.32
2920	12.04	181	325.9	2.20	6540	11.61	509	408.5	14.53
2970	11.92	189	335.2	2.42	6590	11.52	514	409.7	14.79
3010	11.70	197	344.2	2.59	6630	11.42	519	410.9	15.01
3060	11.38	204	350.7	2.76	6680	11.44	520	408.9	15.27
3110	11.25	211	357.2	2.94	6750	11.47	523	406.8	15.53
3160	11.48	217	361.3	3.06	6800	11.26	522	402.8	15.83
3210	11.33	223	365.3	3.24	6830	11.61	514	395.4	16.00
3260	11.13	229	368.2	3.37	6880	11.61	498	380.4	16.00
3310	11.50	234	370.6	3.50					
3360	12.47	238	372.3	3.62					
3410	12.69	243	374.7	3.75					
3460	12.54	248	377.1	3.93					
3510	12.08	254	379.6	4.06					
3560	11.85	258	380.8	4.19					
3620	11.89	263	382.4	4.31					
3670	12.02	268	384.1	4.49					
3720	12.04	273	385.7	4.62					
3770	12.01	277	386.1	4.75					
3830	12.26	282	386.9	4.88					
3880	12.39	286	388.1	5.05					
3930	12.26	291	388.9	5.22					
3980	12.17	295	388.9	5.35					
4040	12.16	300	389.3	5.48					
4090	12.00	304	390.2	5.65					
4140	11.83	308	391.0	5.82					
4190	11.70	312	391.8	5.95					
4250	12.13	318	393.0	6.13					
4300	12.27	323	394.2	6.26					
4350	11.98	328	396.3	6.43					
4410	11.94	335	398.7	6.60					
4460	11.82	340	400.7	6.77					
4520	11.92	346	402.4	6.94					
4580	11.77	352	403.6	7.16					
4630	11.64	356	404.0	7.33					
4690	11.83	362	404.8	7.51					
4740	11.94	366	406.0	7.68					
4800	11.75	373	408.1	7.85					
4850	11.64	378	409.7	8.07					
4910	11.55	384	411.3	8.24					
4970	11.52	390	411.7	8.45					
5030	11.50	394	411.3	8.63					
5080	11.70	397	410.5	8.84					
5140	12.04	401	410.5	9.06					
5190	11.98	406	410.9	9.23					
5240	12.05	410	410.9	9.45					
5300	12.67	414	410.5	9.66					
5360	11.98	419	410.5	9.88					
5410	11.91	423	410.5	10.05					
5460	12.00	428	411.3	10.22					
5520	11.94	434	412.5	10.44					
5570	11.95	438	413.4	10.65					
5630	11.75	443	413.4	10.87					
5690	11.88	448	413.4	11.08					
5740	11.83	452	412.9	11.26					
5790	11.80	456	413.4	11.47					
5850	11.76	462	414.6	11.73					
5900	11.54	467	416.2	11.90					
5950	11.45	471	415.8	12.12					
6020	11.29	477	415.8	12.33					
6070	11.47	480	415.4	12.59					
6120	11.38	484	415.4	12.72					
6170	11.23	487	415.0	12.94					
6230	11.39	492	415.4	13.15					
6280	11.27	497	415.4	13.41					